



CHICAGO PNEUMATIC

SP-3042-12

air-wrenches


3/8" 1/2"
DRIVES

The Impact Wrench with the VARI-TORK*

• REVERSIBLE • CONTROLLABLE • LOK-ON ANGLE HEADS

* CONVERTER OR CLUTCH DESIGN PERMITS VARIABLE TORQUE OUTPUT.


MIDGET



No. CA-94005A
LOK-ON Angle Head

CP-720

TORK-MASTER



No. CA-88120A
LOK-ON Angle Head

CP-732

NUMBER	DESCRIPTION	PRICE
CP-720	MIDGET Air-Wrench with VARI-TORK* and Power Regulator	\$144.50
CP-720-20 SET	MIDGET with CA-94005A, CA-94222A, in Metal Box	\$179.50
CP-732	TORK-MASTER with VARI-TORK* and built-in Regulator	\$139.50
CP-732-32 SET	TORK-MASTER with CA-88120A and CA-88138A, in Metal Edge Box	\$186.00
CP-732-2	TORK-MASTER with 2" Ext. Shank, VARI-TORK* and Flip-Socket	\$146.00
CP-732-33 SET	Jr. SERVICE STATION SET with 732-2, CA-88138A, CA-90342A, 2' & 50' Hose and Quick Coupler, in Metal Case	\$178.50
CA-94005A	Lok-On Angle Head 3/8" Drive	\$ 35.00
CA-88120A	Lok-On Angle Head 1/2" Drive	\$ 46.50
CA-94222A	Tray 6 Sockets, 3/8" to 1 1/16" 3/8" Drive	\$ 4.70
CA-88138A	Tray 6 Sockets, 1/2" to 1 3/16" 1/2" Drive	\$ 5.50
CA-98445A	3/4"-1 3/16" Flip-Socket 1/2" Drive	\$ 2.50
CA-88121A	Metal Carrying Case. CP-732	\$ 7.50
CA-96006A	Metal Carrying Case. CP-720	\$ 3.50
CA-90342A	Protector Cover CP-732 CP-732	\$.70
CA-95255A	Protector Cover CP-720 CP-720	\$.90

SPECIFICATIONS FOR ALL MODELS

*Use of Extension bars, etc., reduces capacity.

Model	CP-720	CP-732	CP-740	CP-750	CP-770	CP-792
Capacity (bolt dia.)*	3/8"	1/2"	1/2"	5/8"	1"	1 1/4"
Square Drive	3/8"	1/2"	1/2"	1/2"	3/4"	1"
Net Weight	2 1/2 lbs.	5 1/2 lbs.	6 lbs.	9 1/2 lbs.	17 1/2 lbs.	21 lbs.
Air Cons.	2 1/2 CFM	4 CFM	4 CFM	4 1/2 CFM	8 CFM	10 CFM
Hose Size	5/16" ID	3/8" ID	3/8" ID	3/8" ID	1/2" ID	1/2" ID
Air Inlet Size	1/4" FPT	1/4" FPT	1/4" FPT	1/4" FPT	1/4" FPT	3/8" FPT
AIR-WRENCH	\$144.50	\$139.50	\$170.00	\$230.00	\$355.00	\$495.00
Set with Angle Head	179.50	186.00	216.50	287.50	453.50	630.00

FEATURES

MIDGET — Introducing a 3/8" drive Air-Wrench of revolutionary design with VARI-TORK power converter that delivers 50% more impact power than any 3/8" drive tool of conventional design.

TORK-MASTER — A high quality 1/2" Drive Air-Wrench at low cost for intermittent use. Has built-in power Regulator, VARI-TORK clutch.

Angle Heads — Clamp-on attachable angle head fits so that angle head becomes an integral part of wrench. Tight, unbroken fit reduces power loss . . . eliminates excessive shank wear . . . can't trap dirt . . . permits one-hand operation even in "ratchet-wrench" spots.

Design — Short overall length . . . light-weight . . . compact styling, adds to flexibility of tool, permits close-quarter handling.

Power — Unequalled, and VARI-TORK Clutch in combination with the tool Regulator permits adjustment of power to job requirements. Drives small screws or large nuts to proper tightness. Never too tight, never too loose.

Air Consumption — Air demand of CP Air-Wrenches is low . . . 2 1/2 c.f.m. for the smaller models and only 12 c.f.m. for the largest.

AIR HOSE RECOMMENDATIONS

Wrench	Hose	Lgth.	Part No.	Price
CP-720	5/16"	6'	CA-94249A	\$ 3.30
	5/16"	35'	CA-94724A	\$ 9.30
CP-732 CP-740 CP-750	3/8"	25'	CA-85310A	\$ 9.00
	3/8"	35'	CA-92184A	\$ 9.30
	3/8"	50'	CA-85312A	\$13.70
	3/8"	2'	CA-88140A	\$ 2.20
CP-770	1/2"	50'	CA-87760A	\$25.50
	1/2"	2'	CA-88141A	\$ 3.00
CP-791 CP-792	1/2"	2'	CA-88650A	\$ 3.00
	1/2"	3'	CA-95182A	\$ 3.50
	1/2"	50'	C-85718A	\$25.50
	3/4"	50'	C-86738A	\$30.50

• See SP-3029
for more details.



air-wrenches



The Impact Wrenches with VARI-TORK*

* CONVERTER OR CLUTCH DESIGN PERMITS VARIABLE TORQUE OUTPUT.

TORK-KING

CP-740

1/2" Drive





No. CA-88120A
LOK-ON Angle Head

RUGGED DUTY

CP-750

RUGGED DUTY

1/2" Drive





No. CA-89309A
LOK-ON Angle Head

POWER-MASTER

CP-770

3/4" Drive





No. CA-84712A Angle Head

LITTLE GIANT

CP-792

1" Drive



No. CA-95323A
Angle Head

• See SP-3029 for more details.

NUMBER	DESCRIPTION	PRICE
CP-740	TORK-KING Air-Wrench with VARI-TORK* and Power Regulator.	\$170.00
CP-740-41 SET	TORK-KING with VARI-TORK*, CA-88120A, CA-88138A, in CA-88121A.	\$216.50
CP-740-2	TORK-KING with built-in 2" Shank, VARI-TORK* and Flip-Socket.	\$175.00
CP-740-42 SET	Sr. SERVICE STATION SET with 740-2, CA-89016A, CA-90342A, 2' and 50' Hose and Quick Coupler, in Metal Case.	\$210.00
CP-750	RUGGED DUTY 1/2" Drive Air-Wrench, with VARI-TORK* and Power Regulator.	\$230.00
CP-750-51 SET	RUGGED DUTY 1/2" Drive Air-Wrench, CA-89309A, CA-89316A, in CA-81321A.	\$287.50
CP-750-2	R.D. 1/2" Dr. Air-Wrench with 2" Ext. Shank, VARI-TORK* and Flip-Socket.	\$235.00
CP-750-52 SET	R.D. Pass. Car Tire Set with 750-2, CA-89016A, CA-91326A, 2' and 50' Hose and Quick Coupler in Metal Case.	\$268.00
CA-88120A	Lok-On Angle Head. CP-740	\$ 46.50
CA-89309A	Lok-On Angle Head. CP-750	\$ 57.50
CA-88138A	Tray 6 Sockets, 1/2" to 1 1/16", 1/2" Dr.	\$ 5.50
CA-98445A	3/4"-1 1/16" Flip-Socket, 1/2" Drive.	\$ 2.50
CA-89316A	Tray 8 Sockets, 5/8" to 1", 1/2" Drive.	\$ 8.60
CA-89016A	Tray 6 Sockets, 3/4" to 1 1/16", 1/2" Dr.	\$ 7.80
CA-88121A	Metal Carrying Case. CP-740	\$ 7.50
CA-81321A	Metal Carrying Case. CP-750 & 740-2	\$ 8.50
CA-90342A	Protector Cover. CP-740	\$.70
CA-91326A	Protector Cover. CP-750	\$ 1.40



Don't lose time hunting for the right passenger car wheel socket ... one end or the other must fit ... just flip it over!




CP-770	3/4" Drive Air-Wrench with VARI-TORK* and Power Regulator.	\$355.00
CP-770-71 SET	3/4" Drive Air-Wrench, CA-84712A Angle Head, CA-85314A Metal Case.	\$453.50
CP-770-73 SET	Light Duty Truck Tire Kit. 50' and 2', 1/2" Hose, Quick Coupler, 10 Sockets, in Metal Case.	\$447.00
CA-84712A	Angle Head. CP-770	\$ 98.50
CA-85314A	Metal Carrying Case. CP-770	\$ 10.50
CA-90657A	Protector Cover CP-770 and CP-792 92	\$ 1.50
CP-792	LITTLE GIANT Air Wrench with 3' Hose, Regulator, Quick Coupler and Nipple.	\$495.00
CP-792-6	LITTLE GIANT, same as CP-792 except has 6" Extension Shank.	\$495.00
CP-792-92 SET	LITTLE GIANT Heavy Duty TIRE SET, CP-792-6, 9 Sockets in wheel sizes, 50 Ft. 1/2" Air Hose.	\$565.00
CP-792-93	Same as CP-792 plus Angle Head in Metal Case.	\$630.00
CA-95323A	Angle Head. CP-792 (Capacity 3/4" Bolt Size.)	\$135.00
CA-96159A	Metal Carrying Case. CP-792 & 792-6.	\$ 14.50
CP-791	JUMBO Air-Wrench, 1" Dr., Regulator, 2' Hose.	\$465.00
CP-791-6	JUMBO Air-Wrench with 6" Shank.	\$465.00
CP-791-RAN	JUMBO Air-Wrench, 90° Angle Type.	\$715.00
CP-791-92 SET	JUMBO TRUCK TIRE SET, 791-6, 2' and 50' Hose, Coupler and 9 wheel Sockets.	\$533.50

CP-791-6 JUMBO



Net Weight 34 lbs.

CP-791-RAN





CHICAGO PNEUMATIC ELECTRIC *impact wrenches*






PACESETTER • PACEMAKER

Both with • ONE-HAND REVERSE • LOK-ON ANGLE HEAD • SLIM PROFILE


CP-724

1/2" SQUARE DRIVE
CAPACITY:
3/8" - 5/8" *
BOLT SIZE

CP-725



NUMBER	DESCRIPTION	PRICE
CP-724	PACESETTER with 15 ft., 3 Cond. Cord.	\$ 99.50
CP-724-24 SET	PACESETTER with CA-88120A Angle Head and CA-88138A Tray, 6 Sockets in Metal Edge Box.	\$146.00
CP-724-2	SERVICE STATION SPECIAL with 2" Ext. Shank, Flip-Socket, 35' Cord.	\$112.00
USA-91882A	Protector Cover for CP-724.	\$ 1.50
CP-725	PACEMAKER with 15 ft., 3 Cond. Cord.	\$135.00
CP-725-26 SET	PACEMAKER with CA-88120A Angle Head and CA-88138A Tray, 6 Sockets in Metal Edge Box.	\$181.50
CP-725-27 SET	PACEMAKER Passenger Car Tire Kit with CA-89016A Tray, 6 Sockets, 5" Ext. Bar in USA-89243A Metal Carrying Case.	\$155.00
CA-88120A	Lok-On Angle Head.	\$ 46.50
USA-91024A	Protector Cover for CP-725.	\$ 1.60
USA-91327A	Wire Brush Attachment with Brush for CP-724 and CP-725.	\$ 12.50



No. CA-88120A
LOK-ON Angle Head

SPECIFICATIONS

	CP-724	CP-725
*Capacity (Bolt Diameter)	3/8" - 5/8"	3/8" - 5/8" H.D.
Square Drive	1/2 Inch	1/2 Inch
Net Weight (Less Angle Head and Cord)	7 1/4 lbs.	7 3/4 lbs.
Impacts Per Minute	2000	2000
Voltage—A.C. or D.C.	115V	115V

BODY SHOP:

Panel Cutting
Rivet Cutting
Bolt Cutting
Spot Weld Cutting
Metal Ripping
Goo Scraping
Hole Punching
Hinge Pin Driving
Riveting
Peining
Nut Splitting
Metal Forming
Metal Smoothing
Metal Flanging

AIR-POWERED



ZIP-GUN CP-714 FOR BODY AND REPAIR SHOP



REPAIR SHOP:

Bolt Loosening
Valve Guide Driving
Shackle and Bushing Driving
Frame Riveting
Bushings Splitting
Kingpin Removing
Bolt Cutting
Rivet Cutting
Cylinder Sleeve Driving

FEATURES

The CP-714 Zip-Gun can be your most versatile shop tool . . . a hammer you'll use for cutting . . . ripping . . . shearing . . . scraping . . . punching . . . bumping . . . driving. Do better and faster jobs with Zip-Gun smooth, responsive, stepless, power control. The spool valve design makes the difference. Make intricate panel trimming easy or run wide open for bolt-busting, rivet-driving hammer action. Safe . . . easy to handle. Air consumption is low.

SPECIFICATIONS

Chisel Shank Opening 401"
Air Inlet Thread Size 1/4"
Recommended Hose Size 3/8"
Average Air Consumption 4 c.f.m.
Net Weight 3 1/4 lbs.
Overall Length 7 3/4"

NO.	DESCRIPTION	PRICE
CP-714-14	ZIP-GUN KIT for the Body Shop includes all items marked * below.	\$ 99.50
CP-714-15	ZIP-GUN for the Repair Shop includes all items marked † below.	\$ 99.50
CP-714	Zip-Gun with power regulator*†.	\$ 79.50
A-88289A	Metal Box*†.	\$ 8.50
A-88287A	Thin Chisel Blank †.	\$ 3.30
A-88288A	Panel Cutter*†.	\$ 4.40
A-88290A	Goo Scraper*.	\$ 4.40
A-88291A	Cold Chisel (3/4" Face)*†.	\$ 4.40
A-89059A	Edging Chisel*.	\$ 5.90
A-88300A	Spot Weld Splitter*.	\$ 4.40
A-88292A	Punch Blank†.	\$ 4.40
A-90818A	Muffler Splitter†.	\$ 4.40
A-90819A	Punch†.	\$ 4.40
A-87088A	Flanging Tool	\$ 19.50
A-92006A	Punch Blank*	\$ 4.40

• See SP-3029 for more details.

CP-715 BEAD BREAKER




SPECIFICATIONS

Overall Length (with chisel)	33"
Net Weight	32 lbs.
Blows per Minute	2000
Average Air Consumption	12 c.f.m.
Minimum Hose Size	1/2"
Bead Chisel (CD-1 Shank)	3" Face

CATALOG NO.	DESCRIPTION	PRICE
CP-715	Bead Breaker includes A-90330A Chisel with 3" Face	\$285.00
A-90330A	Chisel with 3" Face	\$ 15.50
A-88284A	Chisel with 2" Face	\$ 13.50
P-6384A	Bead Chisel Blank—3" Face (may be shaped as desired)	\$ 13.00
C-84851A	Filter and Moisture Separator	\$ 13.20
C-84856A	Line Lubricator	\$ 14.50
C-84861A	Pressure Regulator	\$ 13.30
C-84866A	Connector Nipple	\$.30

Removes hard-to-budge tires from flat base or tapered rims without effort. This hard-hitting, air-powered bead breaker handles easily and delivers 2000 hammer blows per minute. The combined hammering and prying action is concentrated between rim flange and bead by a specially formed bead chisel that works badly frozen casings loose.




NOTE: Filter and Lubricator have 1/3 qt. bowls, 1/2" pipe thrd. openings. Max. line pressure 150 p.s.i. (CP wrenches should not be operated on air pressures above 125 p.s.i.)

...and the AIR POWERED 20-TON PNEU-DRAULIC JACK

CP-705-20T PNEU-DRAULIC PUMP and JACK


7 feet of hydraulic hose permits the operation of the Pneu-draulic Pump at a distance from Jack unit. Recommended for quick spotting and remote power control during jacking operations on busses, vans, and other close-to-the-road equipment. Total Weight... 54 pounds

CP-705-20T



These lightweight heavy-duty POWER jacks save valuable time — permit the smallest man to handle the biggest jobs. Ideal for jacking up large trucks, busses, and all types of heavy equipment. Absolutely safe... load will not settle even though air hose is disconnected.

The Pneu-draulic jack is operated by the famous CP Pneu-draulic (air powered hydraulic) Pump. Just couple to any handy compressed air hose. Operates on any air pressure from 50 to 175 lbs. Develops rated capacity at 100 lbs. or more air pressure. Uses very little air — about same as one spray gun. The Pneu-draulic Pump may also be used to power hydraulic hoists, bead breakers, tire spreaders, presses and other types of hydraulic equipment.



CP-705-20TC

CART MOUNTED PNEU-DRAULIC PUMP and JACK
Wheel mounting facilities spotting unit vehicles where working room is unrestricted. Remote Control Release permits lowering with ease and safety. Weight.....66 pounds

NUMBER		DESCRIPTION	PRICE
CP-705-20TC 20-TON	PUMP, JACK and CART	Short coupled and cart mounted, with remote control throttle, extension spotting Handle, Spring Return and 3-way Safety Block.	\$370.00
CP-705-20T 20-TON	PUMP and JACK	Includes Pump with 7' Oil Hose: quick change Oil Line Coupler and 20-Ton Jack.	\$360.00
CP-705-40TC 40-TON	PUMP, JACK and CART	Equipment similar to CP-705-20TC except Hydraulic Jack Unit is 40 Ton (Blackhawk 50 Ton) Capacity.	\$570.00
CP-705 8000 PSI	STANDARD PNEU-DRAULIC PUMP.	Pump with manual release; 7 ft. Oil Hose and Oil Hose Coupler.	\$260.00
CP-705AR 8000 PSI	COMBINATION PNEU-DRAULIC PUMP.	Pump with manual and automatic release; 7 ft. Oil Hose: and Oil Hose Coupler.	\$288.00
CP-705-38 4000 PSI	LOW PRESSURE PNEU-DRAULIC PUMP with manual release.		\$260.00

MANUFACTURED BY:

Chicago Pneumatic
TOOL COMPANY

DISTRIBUTED BY:

